AMENDMENTS TO THE SPECIFICATION:

Please replace the title with the following amended title:

--RESIN COMPOSITION FOR REFLECTOR PLATE AND REFLECTOR PLATE--.

Please amend the paragraph at page 9, line 20, as follows:

Specific examples of the branched <u>straight</u> chain aliphatic diamine component unit include <u>2-methyl-1,5-diaminopetane</u> <u>2-methyl-1,5-diaminopentane</u>, 2-methyl-1,6-diaminohexane, 2-methyl-1,7-diaminoheptane, 2-methyl-1,8-diaminooctane, 2-methyl-1,9-diaminononane, 2-methyl-1,10-diaminodecane, 2-methyl-1,11-diaminoundecane and the like. Of these, 2-methyl-1,7-diaminoheptane, 2-methyl-1,8-diaminooctane and 2-methyl-1,9-diaminononane are preferred.

Please amend the paragraph at page 13, line 11, as follows:

Specific examples of the ultraviolet absorber include 2-[2'-hydroxy-3'-(3",4",5",6" tetrahydrophthalimidemethl)-5'-methylphenyl]-benzotriazole 2-[2'-hydroxy-3'-(3",4",5",6"-tetrahydrophthalimidemethyl)-5'-methylphenyl]-benzotriazole, 2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-[(hexyl)oxy]-phenol, 2-[4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl]-5-(octyloxy)phenol and the like.

Please amend the paragraph at page 24, line 11, as follows:

Polyamide resin (A2)

Composition: dicarboxylic acid component unit (terephthalic acid/62.5 mol% and adipic acid/37.5 mol%) and diamine component unit (1,6-diaminohexane/100 mol%)

Intrinsic viscosity [η]: 1.0 dl/g

Melting point: 320°C

Please amend Table 1 at page 27 as follows:

	Unit	Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5	Ex. 6	Comp.	Comp.	Comp.	Comp.	Comp.
								Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5
Polyamide resin (A1) % by mass		09	09	09	09	99	09	29	0	0	90	90
Ι.		0	0	0	0	0	0	0	29	09	0	0
\vdash		8.0	8.0	8.0	8.0	8.0	8.0	8.0	1	1	0.8	0.8
		30	25	25	25	25	25	22	22	30	25	25
hat(s)pad	_	11	15	15	15	15	15	11	7	=	15	5
mase % by mass												
	-	0	0	0.3	0.4	0.3	0.4	0	0	0	0	0
mass	-											
Ultraviolet absorber part(s) by 0 mass			0	0	0	0	0	0	0	0	0.3	0
part(s) by 0	-		0	9.0	8.0	0	0	0	0	0	9.0	0.8
mass	-											
part(s) by (mass		0	0	0	0	9.0	0	0	0	0	0	0
flexural modulus of MPa (_	0009	2000	2000	2000	2000	2000	4000	4000	0009	2000	2000
Peeling properties -	ļ —	0	0	0	0	0	0	×	×	Poor filling	0	0
470 -	 	0	0	0	0	0	0	0	0	0	0	0
520 -	 -	0	0	0	0	0	0	0	0	0	0	0
650 - nm	1	0	0	0	0	0	0	0	0	0	0	0
	۲											